

BILLING DPR							
State	Odisha	District	Balasore	Block	Soro	Gram Panchayat	Dahisade
<b>Work Code</b>	OD/346/3309/116313/393793/00071792 (Construction of Market complex near Hanuman Mandir Dahisada)						
<b>Project Category</b>	Building						
<b>Financial Year</b>	2020-21		<b>Execution Level</b>		PS		
<b>Executing Agency</b>	Panchayat Samiti, Soro		<b>Bill Status</b>		Final Bill		
<b>Proposal Date</b>	-		<b>Date of Commencement</b>		03-01-2026		
<b>Date of Completion</b>	12-01-2026		<b>Scheme Name</b>		5th SFC Grant in Aid		
<b>Scheme Component Name</b>	Creation of Capital Asset for Revenue Generation		<b>Project Sub-Category</b>		Market Complex		
<b>Project Type</b>	New Work		<b>Name of Executant</b>				

### Administrative Approval Details

<b>Approval No.</b>	OD/346/3309/116313/393793/00071792/AS
---------------------	---------------------------------------

### Technical Sanction Details

<b>Technical Sanction No.</b>	OD/346/3309/116313/393793/00071792/TS
<b>Fund Sanction No.</b>	
<b>Fund Sanction Amount (in Rs.)</b>	1000000

### MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Measurement Qty)	Unit
1	<b>Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</b>	-	<b>52.4552579424</b>	Cum
2	<b>Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T &amp; P required for the work etc. complete and as per direction of Engineer-in charge.</b>	-	<b>4.4165224212032</b>	Cum
i)	<b>BRM029 : Sand for filling and road blinding</b>	1	4.4165224212032	1 Cum

3	<b>Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal -</b> Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	<b>0.897076224</b>	Cum
i)	<b>BRM340</b> : Cement	2.29	2.05430455296	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.48	0.43059658752	1 Cum
iii)	<b>BRM044</b> : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	0.86119317504	1 Cum.
4	<b>Earth Work (AR0114a) :.Filling of foundation with escalated earth -</b> Filling in foundation and plinth with excavated materials in Hard soil / Gravelly soil including watering and ramming as directed by the Engineer-in-charge.	-	<b>52.4552579424</b>	Cum
5	<b>Masonry Brick Work (AR0603b) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth -</b> Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance $\pm 8$ percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	<b>4.2612153636864</b>	Cum
i)	<b>BRM340</b> : Cement	0.672	2.8635367243973	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.28	1.1931403018322	1 Cum
iii)	<b>BRM005</b> : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance $\pm 2$ %	350	1491.4253772902	1000 Nos
6	<b>Masonry Brick Work (AR0603bi) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure -</b> Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance $\pm 8$ percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	<b>11.78531623936</b>	Cum
i)	<b>BRMMR0025</b> : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	11.78531623936	1 Cum
ii)	<b>BRM340</b> : Cement	0.672	7.9197325128499	1 Qntl.
iii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.28	3.2998885470208	1 Cum
iv)	<b>BRM005</b> : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance $\pm 2$ %	350	4124.860683776	1000 Nos
7	<b>Masonry Brick Work (AR0603bi) :.First floor -</b> Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance $\pm 8$ percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	<b>10.7126418752</b>	Cum

i)	<b>BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK</b>	1	10.7126418752	1 Cum
ii)	<b>BRM340 : Cement</b>	0.672	7.1988953401344	1 Qntl.
iii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.28	2.999539725056	1 Cum
iv)	<b>BRM005 : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm<sup>2</sup> with dimensional tolerance <math>\pm 2\%</math></b>	350	3749.42465632	1000 Nos
8	<b>R.C.C. Work (AR0404Aa) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&amp;P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC foundation, footing bases of column, mass concrete, pre-cast slabs etc.)</b>	-	<b>6.27487828608</b>	Cum
i)	<b>BRM340 : Cement</b>	3.4733	21.794534751042	1 Qntl.
ii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.45	2.823695228736	1 Cum
iii)	<b>BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve &amp; retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)</b>	0.36	2.2589561829888	1 Cum.
iv)	<b>BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve &amp; retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)</b>	0.54	3.3884342744832	1 Cum.
v)	<b>BRM104 : Non Sal wood scantling &amp; plants(Tentera, Kasi, Gamhari, Kuruma)</b>	0.004005	0.02513088753575	1Cum.
vi)	<b>BRM092 : Non-sal bullahs 75mm. mean dia of any length.</b>	0.189	1.1859519960691	1Mtr.
9	<b>R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&amp;P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder &amp; Bressmer etc)</b>	-	<b>4.0012069948032</b>	Cum
i)	<b>BRM340 : Cement</b>	3.4733	13.89739225505	1 Qntl.
ii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.45	1.8005431476614	1 Cum
iii)	<b>BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve &amp; retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)</b>	0.36	1.4404345181292	1 Cum.
iv)	<b>BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve &amp; retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)</b>	0.54	2.1606517771937	1 Cum.
v)	<b>BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.</b>	4.4196	17.683734434232	1Mtr

vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.16616612528718	1Cum.
10	<b>R.C.C. Work (AR0404Ad) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)	-	<b>0.88911637152</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	3.0881678932004	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	0.400102367184	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.3200818937472	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.4801228406208	1 Cum.
v)	<b>BRM094</b> : Non-sal bullahs 125mm. mean dia of any length.	3.7695	3.3515241624446	1Mtr.
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0741335	0.065913308528078	1Cum.
11	<b>R.C.C. Work (AR0404A) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge. (excluding centring and shuttering)	-	<b>1.93553539872</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	6.7226951003742	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	0.870990929424	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.6967927435392	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	1.0451891153088	1 Cum.
12	<b>R.C.C. Work (AR0404Ag) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	<b>4.14798078464</b>	Cum

i)	<b>BRM340</b> : Cement	3.4733	14.40718165929	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	1.866591353088	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.4932730824704	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.2399096237056	1 Cum.
v)	<b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	6.2216	25.807077249716	1Mtr
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0502172	0.20829998065842	1Cum.
13	<b>R.C.C. Work (AR0404Ac) :.First Floor</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	<b>3.2818993936832</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	11.39902116408	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	1.4768547271574	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.181483781726	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	1.7722256725889	1 Cum.
v)	<b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	5.30352	17.405619072387	1Mtr
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0498348	0.16355279990432	1Cum.
14	<b>R.C.C. Work (AR0404Ad) :.First Floor</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)	-	<b>0.75985017952</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	2.6391876285268	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	0.341932580784	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.2735460646272	1 Cum.

iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.4103190969408	1 Cum.
v)	<b>BRM094</b> : Non-sal bullahs 125mm. mean dia of any length.	4.5234	3.4371063020408	1Mtr.
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0889602	0.067596423940135	1Cum.
15	<b>R.C.C. Work (AR0404Ag) :.First Floor</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	<b>4.14798078464</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	14.40718165929	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	1.866591353088	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.4932730824704	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.2399096237056	1 Cum.
v)	<b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	7.46592	30.968492699659	1Mtr
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.06026064	0.24995997679011	1Cum.
16	<b>R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position</b> - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	<b>26.34</b>	Qntl
i)	<b>BRM162</b> : Binding Wire.	0.8	21.072	1 Kg.
ii)	<b>BRM341</b> : Steel	1.05	27.657	1 Qntl.
17	<b>Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside.</b> - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	<b>73.1655532634</b>	Sqm
i)	<b>BRM340</b> : Cement	0.043	3.1461187903262	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.018	1.3169799587412	1 Cum

18	<b>Plastering (AR1014) :.First Floor - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc comp.and as per direction of Engineer-in-charge.</b>	-	<b>56.1241515868</b>	Sqm
i)	<b>BRM340 : Cement</b>	0.043	2.4133385182324	1 Qntl.
ii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.018	1.0102347285624	1 Cum
19	<b>Plastering (AR1004i) :.12mm thick cement plaster (1:6) over Brick work in outside. - 12mm thick cement plaster (1:6) over Brick work in outside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc. comp.and as per direction of Engineer-in-charge.</b>	-	<b>56.8508574334</b>	Sqm
i)	<b>BRM340 : Cement</b>	0.0358	2.0352606961157	1 Qntl.
ii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.015	0.852762861501	1 Cum
20	<b>Plastering (AR1004i) :.First Floor - 12mm thick cement plaster (1:6) over Brick work in outside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc. comp.and as per direction of Engineer-in-charge.</b>	-	<b>59.3295094734</b>	Sqm
i)	<b>BRM340 : Cement</b>	0.0358	2.1239964391477	1 Qntl.
ii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.015	0.889942642101	1 Cum
21	<b>Plastering (AR1027) :.6mm thick cement Plaster in CM (1:4) over R.C.C. surfaces including chipping (Inside) - 6mm thick cement Plaster in CM (1:4) over R.C.C. surfaces in inside including chipping with proper level and line, curing for the proper period with cost conveyance, royalty, taxes of all materials, labor, and T &amp; P required for the work, etc comp. and as per the direction of the Engineer-in-charge.</b>	-	<b>25.18786136</b>	Sqm
i)	<b>BRM340 : Cement</b>	0.0372	0.936988442592	1 Qntl.
ii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.0075	0.1889089602	1 Cum
22	<b>Plastering (AR1027) :.First Floor - 6mm thick cement Plaster in CM (1:4) over R.C.C. surfaces in inside including chipping with proper level and line, curing for the proper period with cost conveyance, royalty, taxes of all materials, labor, and T &amp; P required for the work, etc comp. and as per the direction of the Engineer-in-charge.</b>	-	<b>26.03606575</b>	Sqm
i)	<b>BRM340 : Cement</b>	0.0372	0.9685416459	1 Qntl.
ii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.0075	0.195270493125	1 Cum
23	<b>Painting(AR0920) :.Finishing wall two coats with plastic emulsion paint of approved shades on new work (Inside) - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)</b>	-	<b>93.1508466234</b>	Sqm
i)	<b>BRM140 : Plastic Emulsion paint</b>	0.125	11.643855827925	1 Litre

24	<b>Painting(AR0920) :.First Floor</b> - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	<b>79.4363013768</b>	Sqm
i)	<b>BRM140</b> : Plastic Emulsion paint	0.125	9.9295376721	1 Litre
25	<b>Painting(AR0918g) :.Finishing wall with two coats weather coat paint of approved shade including one coat of oil bound primer in the outer surface of old work .(Outside)</b> - Finishing wall with two coats weather coat paint of approved shade including one coat of oil bound primer in the outer surface of old work to give an even shade including all costs of labour, Paint, Brushes, and putty required for the work, etc. complete and as per direction of Engineer-in-charge. (Outside)	-	<b>56.8508574334</b>	Sqm
i)	<b>BRM255</b> : Weather Coat (I.S.I.)	0.125	7.106357179175	1 Ltr
ii)	<b>BRM252</b> : Wall cement primer (I.S.I.) Oil bound	0.084	4.7754720244056	1 Ltr
26	<b>Painting(AR0918g) :.First Floor</b> - Finishing wall with two coats weather coat paint of approved shade including one coat of oil bound primer in the outer surface of old work to give an even shade including all costs of labour, Paint, Brushes, and putty required for the work, etc. complete and as per direction of Engineer-in-charge. (Outside)	-	<b>59.3295094734</b>	Sqm
i)	<b>BRM143</b> : Cement paint	0.25	14.83237736835	1 Kg.
ii)	<b>BRM252</b> : Wall cement primer (I.S.I.) Oil bound	0.084	4.9836787957656	1 Ltr
27	<b>Other Building Items. (AR1901B) :.First floor</b> - Supplying, fitting & fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only)	-	<b>25.6991901817</b>	Sqm
i)	<b>BRM174</b> : White Cement.	0.0076	0.19531384538092	1Qntl
ii)	<b>BRM340</b> : Cement	0.1074	2.7600930255146	1 Qntl.
iii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.021	0.5396829938157	1 Cum
iv)	<b>BRM131</b> : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B Ia) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)	1	25.6991901817	1 Sqm.
28	<b>Other Building Items. (AR1911) :.Stainless steel of 304 grade in hand railing using 50mm dia of 2mm</b> - Supplying, fitting and fixing of Stainless steel of 304 grade in hand railing using 50mm dia of 2mm thick circular pipe with Balustrade of size 32mm x 32mm x 2mm @ 0.90mtr. C/C and stainless square pipe bracing of size 32mm x 32mm x 2mm in 3 rows in staircase as per approved design and specification, buffing, polishing etc with cost,conveyance, taxes of all materials, labour,T&P etc. required for the complete in all respect. and as per direction of Engineer in Charge	-	<b>8.3301837334341</b>	Rmt
i)	<b>BRMMR0024</b> : Buffing, Polishing etc.	0.30674846625767	2.5552710838755	L.S.
ii)	<b>BRMMR0023</b> : Fabrication	10.478527607362	87.288060225187	kg
iii)	<b>BRMMR0022</b> : Stainless steel square pipe bracing of size 32mmx32mmx2mm in 3 rows	5.101226993865	42.494158124849	kg

iv)	<b>BRMMR0021</b> : Balustrade of size 30mmx32mmx2mm	1.8773006134969	15.638259033318	kg
v)	<b>BRMMR0020</b> : Railing 50mm outer dia of 2mm thick	3.5	29.155643067019	kg
29	<b>Plastering (AR1017) :.First Floor</b> - 20mm thick cement Plaster in CM (1:4) over stone work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	<b>33.19238384</b>	Sqm
i)	<b>BRM340</b> : Cement	0.0744	2.469513357696	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.021	0.69704006064	1 Cum
30	<b>Painting(AR0901bi) :.Priming one coat in outer surface with primer of approved quality over iron work</b> - Priming one coat in outer surface with primer of approved quality over iron work including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.	-	<b>10.405136</b>	Sqm
i)	<b>BRM137</b> : Red oxide Primer	0.054	0.561877344	1 Litre
31	<b>Painting(AR0903b) :.Painting two coats of enamel paint with a coat of red oxide primer over iron surface</b> - Painting two coats of enamel paint with a coat of red oxide primer over iron surface including all costs of labour, Paint, Primer, brushes and putty required for the work etc. complete and as per direction of Engineer-in-charge.	-	<b>10.405136</b>	Sqm
i)	<b>BRM137</b> : Red oxide Primer	0.054	0.561877344	1 Litre
ii)	<b>BRM141</b> : Enamel paint	0.125	1.300642	1 Litre
32	<b>Wood Work (AR1201) :.Supplying, fitting and fixing of wood work framed and fixed (wrought and put up)</b> - Supplying, fitting and fixing of wood work framed and fixed (wrought and put up) in burgahs, rafters and posts in dressed seasoned sal wood including cost of materials, labour, conveyance, taxes of all materials, T&P, etc . complete and as per direction of Engineer in charge	-	<b>0.26567954432</b>	Cum
i)	<b>BRM098</b> : Seasoned rough dressed sawn Sal wood having minimum dimension 50mm. to 150mm. & up to 2.75m. long.	1	0.26567954432	1Cum.

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	<b>BRM029</b>	4.4165224212032	1 Cum	979.85	4327.529494416
2	<b>BRM340</b>	125.24568215672	1 Qntl.	561.987	70386.445178208
3	<b>BRM028</b>	25.061289547238	1 Cum	984.79	24680.107333225
4	<b>BRM044</b>	0.86119317504	1 Cum.	1401.46	1206.9277870916
5	<b>BRM005</b>	9365.7107173862	1000 Nos	6.4484	60393.848989993
6	<b>BRMMR0025</b>	22.49795811456	1 Cum	33	742.43261778048
7	<b>BRM060</b>	9.1578413496983	1 Cum.	1824.88	16711.961522237
8	<b>BRM052</b>	13.736762024547	1 Cum.	1788.5	24568.198880903
9	<b>BRM104</b>	0.946619502644	1Cum.	58573.086	55446.425537644
10	<b>BRM092</b>	1.1859519960691	1Mtr.	229.106	271.70871801141
11	<b>BRM084</b>	91.864923455995	1Mtr	250.166	22981.480441292
12	<b>BRM094</b>	6.7886304644854	1Mtr.	240.106	1629.9909063057

13	<b>BRM162</b>	21.072	1 Kg.	90	1896.48
14	<b>BRM341</b>	27.657	1 Qntl.	6210.797	171772.012629
15	<b>BRM140</b>	21.573393500025	1 Litre	249.58787	5384.4573323431
16	<b>BRM255</b>	7.106357179175	1 Ltr	195.03787	1386.0087676855
17	<b>BRM252</b>	9.7591508201712	1 Ltr	125.74787	1227.1924286453
18	<b>BRM143</b>	14.83237736835	1 Kg.	47.83	709.43260952818
19	<b>BRM174</b>	0.19531384538092	1Qntl	2041.967	398.82442691094
20	<b>BRM131</b>	25.6991901817	1 Sqm.	660.6811111	16978.969523616
21	<b>BRMMR0024</b>	2.5552710838755	L.S.	178.42	455.91146678506
22	<b>BRMMR0023</b>	87.288060225187	kg	10	872.88060225187
23	<b>BRMMR0022</b>	42.494158124849	kg	256.62	10904.850857999
24	<b>BRMMR0021</b>	15.638259033318	kg	256.62	4013.0900331301
25	<b>BRMMR0020</b>	29.155643067019	kg	240.24	7004.3516904207
26	<b>BRM137</b>	1.123754688	1 Litre	142.94787	160.63833905211
27	<b>BRM141</b>	1.300642	1 Litre	205.58787	267.39621841254
28	<b>BRM098</b>	0.26567954432	1Cum.	53234.046	14143.19708359
<b>Total: 520922.75141648</b>					