

BILLING DPR							
State	Odisha	District	Nayagarh	Block	Dasapalla	Gram Panchayat	Madhyakhanda
Work Code	OD/367/3524/120618/405511/00039813 (Imp/Comp. of Kalyan Mandap at Madhyakhanda)						
Project Category	Building						
Financial Year	2024-25		Execution Level		PS		
Executing Agency	Panchayat Samiti, Dasapalla		Bill Status		Final Bill		
Proposal Date	-		Date of Commencement		18-10-2025		
Date of Completion	01-01-2026		Scheme Name		5th SFC Grant in Aid		
Scheme Component Name	Maintenance of Capital Assets		Project Sub-Category		Kalyan Mandap		
Project Type	Upgradation or Improvement		Name of Executant				

Administrative Approval Details

Approval No.	OD/367/3524/120618/405511/00039813/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/367/3524/120618/405511/00039813/TS
Fund Sanction No.	
Fund Sanction Amount (in Rs.)	300000

MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	-	22.93425	Cum
2	Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	4.41675	Cum
i)	BRM029 : Sand for filling and road blinding	1	4.41675	1 Cum
3	Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	4.41675	Cum

i)	BRM340 : Cement	2.29	10.1143575	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	2.12004	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	4.24008	1 Cum.
4	Masonry Stone Work (AR0703) :.Random rubble H.G. stone of masonry. - Random rubble H.G. stone of size not less than 0.0025 cum stacked masonry in cement mortar (1:6) in foundation and plinth including watering, curing for seven days with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	15.593875	Cum
i)	BRM340 : Cement	0.8151	12.7105675125	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.34	5.3019175	1 Cum
iii)	BRM034 : Granite broken stone of size not less than 0.0025 Cum. Stacked	1	15.593875	1 Cum.
5	R.C.C. Work (AR0404Aa) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC foundation, footing bases of column, mass concrete, pre-cast slabs etc.)	-	2.029125	Cum
i)	BRM340 : Cement	3.4733	7.0477598625	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.91310625	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.730485	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	1.0957275	1 Cum.
v)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.004005	0.008126645625	1Cum.
vi)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.189	0.383504625	1Mtr.
6	R.C.C. Work (AR0404Ab) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Plinth band)	-	1.425	Cum
i)	BRM340 : Cement	3.4733	4.9494525	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.64125	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.513	1 Cum.

iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.7695	1 Cum.
v)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.01335	0.01902375	1Cum.
vi)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.63	0.89775	1Mtr.
7	R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	0.765625	Cum
i)	BRM340 : Cement	3.4733	2.6592453125	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.34453125	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.275625	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.4134375	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	4.4196	3.38375625	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.031795640625	1Cum.
8	Masonry Brick Work (AR0603bi) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	15.859375	Cum
i)	BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	15.859375	1 Cum
ii)	BRM340 : Cement	0.672	10.6575	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.28	4.440625	1 Cum
iv)	BRM005 : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance ± 2 %	350	5550.78125	1000 Nos
9	Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	66.5	Sqm
i)	BRM340 : Cement	0.043	2.8595	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.018	1.197	1 Cum

10	Plastering (AR1004i) :.12mm thick cement plaster (1:6) over Brick work in outside. - 12mm thick cement plaster (1:6) over Brick work in outside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	76	Sqm
i)	BRM340 : Cement	0.0358	2.7208	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.015	1.14	1 Cum
11	Plastering (AR1008i) :.20mm thick cement Plaster in CM (1:6) over stone work in outside (Outside) - 20mm thick cement Plaster in CM (1:6) over stone work in outside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	11.4	Sqm
i)	BRM340 : Cement	0.057	0.6498	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.021	0.2394	1 Cum
12	Painting(AR0918cb) :.Finishing wall two coats with weather coat with one coat waterbound Primer - Finishing wall two coats with weather coat with one coat waterbound Primer including all costs of labour, Paint, Primer, Brushes and putty required for the work etc. complete and as per direction of Engineer-in-charge.(Outside)	-	153.9	Sqm
i)	BRM255 : Weather Coat (I.S.I.)	0.125	19.2375	1 Ltr
ii)	BRM253 : Wall cement primer (I.S.I.) Water bound	0.090322580645161	13.90064516129	1 Ltr
13	R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	3.4725	Qntl
i)	BRM162 : Binding Wire.	0.8	2.778	1 Kg.
ii)	BRM341 : Steel	1.05	3.646125	1 Qntl.

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM029	4.41675	1 Cum	332.58	1468.922715
2	BRM340	54.3689826875	1 Qntl.	587.627	31948.682189708
3	BRM028	16.33787	1 Cum	404.11	6602.2966457
4	BRM044	4.24008	1 Cum.	1295.11	5491.3700088
5	BRM034	15.593875	1 Cum.	612.28	9547.817785
6	BRM060	1.51911	1 Cum.	1759.78	2673.2993958
7	BRM052	2.278665	1 Cum.	1701.4	3876.920631
8	BRM104	0.05894603625	1Cum.	58573.086	3452.6512506304
9	BRM092	1.281254625	1Mtr.	229.106	293.54312211525
10	BRM084	3.38375625	1Mtr	250.166	846.5007660375

11	BRMMR0025	15.859375	1 Cum	33	523.359375
12	BRM005	5550.78125	1000 Nos	6.1539	34158.952734375
13	BRM255	19.2375	1 Ltr	195.03787	3752.041024125
14	BRM253	13.90064516129	1 Ltr	159.27787	2214.0651529161
15	BRM162	2.778	1 Kg.	90.1	250.2978
16	BRM341	3.646125	1 Qntl.	6204.157	22621.131941625
					Total: 129721.85253783