

**BILLING DPR**

<b>State</b>	Odisha	<b>District</b>	Koraput	<b>Block</b>	Jeypore	<b>Gram Panchayat</b>	Anta
--------------	--------	-----------------	---------	--------------	---------	-----------------------	------

<b>Work Code</b>	OD/363/3470/119778/429073/00046195 (REPAIR AND RENOVATION OF AWC AT DAMAPUT)
<b>Project Category</b>	Building

<b>Financial Year</b>	2021-22	<b>Execution Level</b>	PS
<b>Executing Agency</b>	Panchayat Samiti, Jeypore	<b>Bill Status</b>	Final Bill
<b>Proposal Date</b>	05-10-2021	<b>Date of Commencement</b>	05-08-2025
<b>Date of Completion</b>	28-08-2025	<b>Scheme Name</b>	SFC Devolution of Fund
<b>Scheme Component Name</b>	5TH SFC DEVOLUTION GRANT TO PANCHAYAT SAMITI	<b>Project Sub-Category</b>	AWC
<b>Project Type</b>	Repair and Maintenance	<b>Name of Executant</b>	

**Administrative Approval Details**

<b>Approval No.</b>	OD/363/3470/119778/429073/00046195/AS
---------------------	---------------------------------------

**Technical Sanction Details**

<b>Technical Sanction No.</b>	OD/363/3470/119778/429073/00046195/TS
<b>Fund Sanction No.</b>	17170
<b>Fund Sanction Amount (in Rs.)</b>	150000

**MATERIAL STATEMENT**

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	<b>Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</b>	-	<b>23.2675</b>	Cum
2	<b>Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T &amp; P required for the work etc. complete and as per direction of Engineer-in charge.</b>	-	<b>13.5935</b>	Cum
i)	<b>BRM029 : Sand for filling and road blinding</b>	1	13.5935	1 Cum

3	<b>Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal</b> - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	<b>7.9915</b>	Cum
i)	<b>BRM340</b> : Cement	2.29	18.300535	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.48	3.83592	1 Cum
iii)	<b>BRM044</b> : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	7.67184	1 Cum.
4	<b>Plastering (AR1004) :.12mm thick cement plster (1:6) over Brick work in inside</b> - 12mm thick cement plster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	<b>66.7954</b>	Sqm
i)	<b>BRM340</b> : Cement	0.0358	2.39127532	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.015	1.001931	1 Cum
5	<b>Painting(AR0901a) :.Priming one coat in inner surface with primer of approved quality over woodwork</b> - Priming one coat in inner surface with primer of approved quality over woodwork including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.	-	<b>66.7954</b>	Sqm
i)	<b>BRM138</b> : Wood Primer	0.075	5.009655	1 Litre
6	<b>Painting(AR0922) :.Finishing wall two coats with distemper of approved shades on new work (Inside)</b> - Finishing wall two coats with distemper of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	<b>66.7954</b>	Sqm
i)	<b>BRM142</b> : Distemper	0.25	16.69885	1 Kg.
7	<b>Masonry Brick Work (AR0603bi) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure</b> - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance $\pm 8$ percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	<b>11.94389</b>	Cum
i)	<b>BRMMR0025</b> : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	11.94389	1 Cum
ii)	<b>BRM340</b> : Cement	0.672	8.02629408	1 Qntl.
iii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.28	3.3442892	1 Cum
iv)	<b>BRM005</b> : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance $\pm 2$ %	350	4180.3615	1000 Nos

Sl.No.	Material Name	Qty	Unit	Rate	Amount
--------	---------------	-----	------	------	--------

1	<b>BRM029</b>	13.5935	1 Cum	543.25	7384.668875
2	<b>BRM340</b>	28.7181044	1 Qntl.	605.057	17376.090093951
3	<b>BRM028</b>	8.1821402	1 Cum	521.13	4263.958722426
4	<b>BRM044</b>	7.67184	1 Cum.	1466.56	11251.2136704
5	<b>BRM138</b>	5.009655	1 Litre	155.44677	778.73468856435
6	<b>BRM142</b>	16.69885	1 Kg.	70.36677	1175.0441372145
7	<b>BRMMR0025</b>	11.94389	1 Cum	33	394.14837
8	<b>BRM005</b>	4180.3615	1000 Nos	6.3895	26710.41980425
					<b>Total: 69334.278361806</b>