

BILLING DPR							
State	Odisha	District	Mayurbhanj	Block	Sukruli	Gram Panchayat	Chaturanjali
Work Code	OD/365/3508/120359/388734/00062334 (Repair & development of Chaturanjali Pry. school)						
Project Category	Building						
Financial Year	2024-25		Execution Level		PS		
Executing Agency	Panchayat Samiti, Sukruli		Bill Status		Final Bill		
Proposal Date	-		Date of Commencement		30-10-2025		
Date of Completion	31-10-2025		Scheme Name		5th SFC Grant in Aid		
Scheme Component Name	Maintenance of Primary School Building		Project Sub-Category		Elementary School		
Project Type	Repair and Maintenance		Name of Executant				

Administrative Approval Details

Approval No.	OD/365/3508/120359/388734/00062334/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/365/3508/120359/388734/00062334/TS
Fund Sanction No.	
Fund Sanction Amount (in Rs.)	230000

MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	Dismantling (AR1624) :.Dismantling and removing R.C.C. columns beams slab staircase landing lintels - Dismantling and removing R.C.C. columns beams slab staircase landing lintels including stacking the useful materials for reuse and removing the debris within 50m lead and as per direction of Engineer-in-Charge.	-	8.433735	Cum
2	R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	2.037	Cum
i)	BRM340 : Cement	3.4733	7.0751121	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.91665	1 Cum

iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.73332	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	1.09998	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	4.4196	9.0027252	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.084594573	1Cum.
3	R.C.C. Work (AR0404Ag) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	7.799832	Cum
i)	BRM340 : Cement	3.4733	27.0911564856	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	3.5099244	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	2.80793952	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	4.21190928	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	6.2216	48.5274347712	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0502172	0.3916857235104	1Cum.
4	R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	8.31	Qntl
i)	BRM162 : Binding Wire.	0.8	6.648	1 Kg.
ii)	BRM341 : Steel	1.05	8.7255	1 Qntl.

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM340	34.1662685856	1 Qntl.	653.11	22314.331675941
2	BRM028	4.4265744	1 Cum	603.26	2670.375272544
3	BRM060	3.54125952	1 Cum.	1786.21	6325.4331672192
4	BRM052	5.31188928	1 Cum.	1788.5	9500.31397728
5	BRM084	57.5301599712	1Mtr	316.75	18222.678170878
6	BRM104	0.4762802965104	1Cum.	58639.67	27928.919414872
7	BRM162	6.648	1 Kg.	90	598.32
8	BRM341	8.7255	1 Qntl.	6840.29	59684.950395

Total: 147245.32207373