

BILLING DPR							
State	Odisha	District	Balasore	Block	Soro	Gram Panchayat	Dahisade
<b>Work Code</b>	OD/346/3309/116313/393793/00064673 (Repair and Restoration of Mandap with Gobindeswar Mahadev Temple)						
<b>Project Category</b>	Religious Structures						
<b>Financial Year</b>	2023-24		<b>Execution Level</b>		PS		
<b>Executing Agency</b>	Panchayat Samiti, Soro		<b>Bill Status</b>		Final Bill		
<b>Proposal Date</b>	-		<b>Date of Commencement</b>		17-11-2025		
<b>Date of Completion</b>	18-11-2025		<b>Scheme Name</b>		Chief Minister Special Assistant		
<b>Scheme Component Name</b>	Chief Minister Special Assistance (CM-SA)		<b>Project Sub-Category</b>		Religious Structures		
<b>Project Type</b>	Repair and Maintenance		<b>Name of Executant</b>				

### Administrative Approval Details

<b>Approval No.</b>	OD/346/3309/116313/393793/00064673/AS
---------------------	---------------------------------------

### Technical Sanction Details

<b>Technical Sanction No.</b>	OD/346/3309/116313/393793/00064673/TS
<b>Fund Sanction No.</b>	
<b>Fund Sanction Amount (in Rs.)</b>	400000

### MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	<b>Masonry Brick Work (AR0603bi) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure -</b> Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm2 with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	<b>6.56813273024</b>	Cum
i)	<b>BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK</b>	1	6.56813273024	1 Cum
ii)	<b>BRM340 : Cement</b>	0.672	4.4137851947213	1 Qntl.
iii)	<b>BRM028 : Screened and washed sharp sand for mortar</b>	0.28	1.8390771644672	1 Cum
iv)	<b>BRM005 : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm2 with dimensional tolerance ± 2 %</b>	350	2298.846455584	1000 Nos

2	<b>Pile Foundation(AR1501b) ::Single under-reamed pile foundation with RCC M20 using 12mm size black granite (Crusher broken) stone chips (300mm dia and 6.0 meter long).</b> - Single under-reamed pile foundation with RCC M-20 using 12mm size black granite (Crusher broken) stone chips including cost of boring and including the labour charges, convenience, royalty, taxes of all materials, labour and T&P required for the work etc. but excluding the cost of M.S./Tor steel complete and as per direction of Engineer-in charge. (300mm dia and 6.0 meter long).	-		7	Nos
i)	<b>BRM178</b> : Bentonite powder	1.125		7.875	1Qntl
ii)	<b>BRM342</b> : Tripod	0.45		3.15	Per day
iii)	<b>BRM340</b> : Cement	2.03111		14.21777	1 Qntl.
iv)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.2408		1.6856	1 Cum
v)	<b>BRM056</b> : Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve) (Crusher broken)	0.4815		3.3705	1 Cum.
3	<b>R.C.C. Work (AR0409) ::Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position</b> - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-		12.51	Qntl
i)	<b>BRM162</b> : Binding Wire.	0.8		10.008	1 Kg.
ii)	<b>BRM341</b> : Steel	1.05		13.1355	1 Qntl.
4	<b>R.C.C. Work (AR0404Aa) ::Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC foundation, footing bases of column, mass concrete, pre-cast slabs etc.)	-		2.26756403712	Cum
i)	<b>BRM340</b> : Cement	3.4733		7.8759301701289	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45		1.020403816704	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36		0.8163230533632	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54		1.2244845800448	1 Cum.
v)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.004005	0.0090815939686656		1Cum.
vi)	<b>BRM092</b> : Non-sal bullahs 75mm. mean dia of any length.	0.189	0.42856960301568		1Mtr.

5	<b>R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	<b>3.2185331063648</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	11.178931038337	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	1.4483398978642	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.1586719182913	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	1.738007877437	1 Cum.
v)	<b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	4.4196	14.22462891689	1Mtr
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.13366246137422	1Cum.
6	<b>R.C.C. Work (AR0404Ad) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)	-	<b>0.75597219376</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	2.6257182205866	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	0.340187487192	1 Cum
iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.2721499897536	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.4082249846304	1 Cum.
v)	<b>BRM094</b> : Non-sal bullahs 125mm. mean dia of any length.	3.7695	2.8496371843783	1Mtr.
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0741335	0.056042864626107	1Cum.
7	<b>R.C.C. Work (AR0404Ag) :.Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips</b> - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	<b>5.955872544</b>	Cum
i)	<b>BRM340</b> : Cement	3.4733	20.686532107075	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.45	2.6801426448	1 Cum

iii)	<b>BRM060</b> : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	2.14411411584	1 Cum.
iv)	<b>BRM052</b> : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	3.21617117376	1 Cum.
v)	<b>BRM084</b> : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	6.2216	37.05505661975	1Mtr
vi)	<b>BRM104</b> : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0502172	0.29908724271656	1Cum.
8	<b>Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc comp.and as per direction of Engineer-in-charge.</b>	-	<b>23.77945188</b>	Sqm
i)	<b>BRM340</b> : Cement	0.043	1.02251643084	1 Qntl.
ii)	<b>BRM028</b> : Screened and washed sharp sand for mortar	0.018	0.42803013384	1 Cum

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	<b>BRMMR0025</b>	6.56813273024	1 Cum	33	216.74838009792
2	<b>BRM340</b>	62.021183161689	1 Qntl.	546.307	33882.606509513
3	<b>BRM028</b>	9.4417811448674	1 Cum	984.79	9298.1716536539
4	<b>BRM005</b>	2298.846455584	1000 Nos	6.59565	15162.386624773
5	<b>BRM178</b>	7.875	1Qntl	337.87	2660.72625
6	<b>BRM342</b>	3.15	Per day	450	1417.5
7	<b>BRM056</b>	3.3705	1 Cum.	1802.83	6076.438515
8	<b>BRM162</b>	10.008	1 Kg.	90	900.72
9	<b>BRM341</b>	13.1355	1 Qntl.	6613.937	86877.3694635
10	<b>BRM060</b>	4.3912590772481	1 Cum.	1824.88	8013.5208648886
11	<b>BRM052</b>	6.5868886158722	1 Cum.	1788.5	11780.650289487
12	<b>BRM104</b>	0.49787416268555	1Cum.	58573.086	29162.026148159
13	<b>BRM092</b>	0.42856960301568	1Mtr.	229.106	98.18786746851
14	<b>BRM084</b>	51.27968553664	1Mtr	250.166	12828.433811959
15	<b>BRM094</b>	2.8496371843783	1Mtr.	240.106	684.21498579234
<b>Total: 219059.70136429</b>					