

ESTIMATION DPR							
State	Odisha	District	Khordha	Block	Balianta	Gram Panchayat	Jhinti Sasan

Work Code	OD/362/3456/119542/407665/00061609 (PRESERVATION & DEVELOPMENT OF BRAMHANSUANLO POKHARI ,JHITISASAN GP)						
Project Category	Water Body						

Financial Year	2022-23	Execution Level	PS
Executing Agency	Panchayat Samiti, Balianta	Proposal Date	22-11-2022
Date of Commencement	06-11-2025	Date of Completion	02-12-2025
Scheme Name	5th SFC Grant in Aid	Scheme Component Name	Preservation and Development of Water Bodies
Project Sub-Category	Tank	Project Type	New Work
Name of Executant	RANJIT BALABANTARAY		

Administrative Approval Details

Approval No.	OD/362/3456/119542/407665/00061609/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/362/3456/119542/407665/00061609/TS
Fund Sanction No.	
Fund Sanction Amount (in Rs.)	663375

ACTIVITY STATEMENT

S/N	ACTIVITY TAKEN	UNIT	QUANTITY	UNIT PRICE (IN RS.)	TOTAL (IN RS.)
-----	----------------	------	----------	---------------------	----------------

1	<p>Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p>	Cum	10.62675	240.77592	3472.7323799361
2	<p>Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.</p>	Cum	3.996	685.560932	3472.7323799361

3	<p>Special items for irrigation works (AR0201) : Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km - Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km on a properly prepared and scientifically approved surface including spreading and leveling the earth in 22.5 cm layers to make ready for watering and compaction with sheep foot rollers and dozers but excluding watering and compaction in dams and dykes for all heights including construction, maintenance, watering and lighting of haul road and borrow area, etc. complete as per the direction of Engineer-in charge. (measurement of the fill to be taken on the finished compacted section under OMC condition).</p>	Cum	9916.17	56.56	3472.7323799361
---	--	-----	---------	-------	-----------------

4	<p>Concrete (AR0303) : Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.</p>	Cum	12.28325	6014.4315775	3472.7323799361
5	<p>Concrete (AR0307) : Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specifcaion and direction of Engineer-in charge.</p>	Cum	1.49825	7442.3319045	3472.7323799361

6	R.C.C. Work (AR0410c) : R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	Sqm	16.06	216.23489289764	3472.7323799361
Total Amount (in Rs.): 654656.71502231					

LABOUR STATEMENT

SI.No.	Activity Name	Qty/unit(B=Analysis Basic Qty/HeaderUnit)	Quantity(Measurement Qty)	Unit
1	Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	-	10.62675	Cum
i	Un-Skilled	0.516	5.483403	-

2	Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	3.996	Cum
i	Un-Skilled	0.1236	0.4939056	-

3	<p>Special items for irrigation works (AR0201) : Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km - Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km on a properly prepared and scientifically approved surface including spreading and leveling the earth in 22.5 cm layers to make ready for watering and compaction with sheep foot rollers and dozers but excluding watering and compaction in dams and dykes for all heights including construction, maintenance, watering and lighting of haul road and borrow area, etc. complete as per the direction of Engineer-in charge. (measurement of the fill to be taken on the finished compacted section under OMC condition).</p>	-	9916.17	Cum
---	--	---	---------	-----

4	<p>Concrete (AR0303) : Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.</p>	-	12.28325	Cum
i	Skilled	0.18	2.210985	-
ii	Un-Skilled	3.9	47.904675	-
5	<p>Concrete (AR0307) : Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge.</p>	-	1.49825	Cum
i	Un-Skilled	4.6	6.89195	-

	ii	Skilled	0.68	1.01881	-
6		R.C.C. Work (AR0410c) : R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	-	16.06	Sqm
	i	Semi-Skilled	0.05	0.803	-
	ii	Skilled	0.05	0.803	-

SI.No.	Labour Type	Qty Unit	Rate	Amount
0	Un-Skilled	60.7739336	462	28077.5573232
1	Skilled	4.032795	562	2266.43079
2	Semi-Skilled	0.803	512	411.136
Total:				30755.1241132

MATERIAL STATEMENT

SI.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
--------	------------------------	---	---------------------------	------

1	<p>Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift -</p> <p>Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p>	-	10.62675	Cum
2	<p>Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed -</p> <p>Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.</p>	-	3.996	Cum
i)	BRM029 : Sand for filling and road blinding	1	3.996	1 Cum

3	<p>Special items for irrigation works(AR0201) .Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km - Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km on a properly prepared and scientifically approved surface including spreading and leveling the earth in 22.5 cm layers to make ready for watering and compaction with sheep foot rollers and dozers but excluding watering and compaction in dams and dykes for all heights including construction, maintenance, watering and lighting of haul road and borrow area, etc. complete as per the direction of Engineer-in charge. (measurement of the fill to be taken on the finished compacted section under OMC condition).</p>	-	9916.17	Cum
i)	<p>BRMMR0101 : Cost of mechanical excavation per cum without supervision charge for item AR0201</p>	1	9916.17	Cum
ii)	<p>BRMMR0103 : cost of transportation of loose earth within the initial lead of 1 km, excluding supervision charges-AR0201</p>	1	9916.17	Cum
iii)	<p>BRMMR0060 : Add construction and maintenance of haul road (L.S.)</p>	1	9916.17	Cum

iv)	BRMMR0106 : Add for spreading of earth - AR0201	1	9916.17	Cum
4	Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	12.28325	Cum
i)	BRM340 : Cement	2.29	28.1286425	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	5.89596	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	11.79192	1 Cum.
5	Concrete (AR0307) :.Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specifaion and direction of Engineer-in charge.	-	1.49825	Cum
i)	BRM340 : Cement	3.23	4.8393475	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.6742125	1 Cum

iii)	BRM056 : Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve) (Crusher broken)	0.9	1.348425	1 Cum.
6	R.C.C. Work (AR0410c) :-R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	-	16.06	Sqm
i)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.00267	0.0428802	1Cum.
ii)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.126	2.02356	1Mtr.

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM029	3.996	1 Cum	475.42	1899.77832
2	BRMMR0101	9916.17	Cum	21.51	213296.8167
3	BRMMR0103	9916.17	Cum	28.99	287469.7683
4	BRMMR0060	9916.17	Cum	1.5	14874.255
5	BRMMR0106	9916.17	Cum	4	39664.68
6	BRM340	32.96799	1 Qntl.	569.387	18771.54492213
7	BRM028	6.5701725	1 Cum	481.81	3165.574812225
8	BRM044	11.79192	1 Cum.	1995.16	23526.7671072
9	BRM056	1.348425	1 Cum.	2372.62	3199.3001235
10	BRM104	0.0428802	1Cum.	58573.086	2511.6256422972
11	BRM092	2.02356	1Mtr.	229.106	463.60973736

Total: 608843.72066471

ROYALTY STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	-	10.62675	Cum
2	Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	3.996	Cum
i)	BRM029 : Sand for filling and road blinding	1	3.996	1 Cum

3	<p>Special items for irrigation works(AR0201) .Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km - Excavation of any approved type of soil in an approved borrow area by mechanical means loading into and transportation by mechanical means and unloading the soil within an initial lead of 1km on a properly prepared and scientifically approved surface including spreading and leveling the earth in 22.5 cm layers to make ready for watering and compaction with sheep foot rollers and dozers but excluding watering and compaction in dams and dykes for all heights including construction, maintenance, watering and lighting of haul road and borrow area, etc. complete as per the direction of Engineer-in charge. (measurement of the fill to be taken on the finished compacted section under OMC condition).</p>	-	9916.17	Cum
---	--	---	---------	-----

4	<p>Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.</p>	-	12.28325	Cum
i)	BRM340 : Cement	2.29	28.1286425	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	5.89596	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	11.79192	1 Cum.
5	<p>Concrete (AR0307) :.Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge.</p>	-	1.49825	Cum
i)	BRM340 : Cement	3.23	4.8393475	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.6742125	1 Cum

iii)	BRM056 : Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve) (Crusher broken)	0.9	1.348425	1 Cum.
6	R.C.C. Work (AR0410c) :-R.C.C. foundation , plinth band and footings bases of columns mass concrete precast slabs etc - Rigid and smooth centring and shuttering for R.C.C. works including false works and dismantling them after casting including cost of materials complete in ground floor R.C.C. foundation, plinth band and footings bases of columns mass concrete precast slabs, etc	-	16.06	Sqm
i)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.00267	0.0428802	1Cum.
ii)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.000614	0.00986084	1Mtr.

S/N	Material Name	Qty	Unit	Royalty Rate	Amount
1	BRM029	3.996	1 Cum	146.25	584.415
2	BRM028	6.5701725	1 Cum	146.25	960.887728125
3	BRM044	11.79192	1 Cum.	319.5	3767.51844
4	BRM056	1.348425	1 Cum.	319.5	430.8217875
Total: 5743.642955625					

ADDITION COMPONENT

Sl.No.	Item Name	Amount (in Rs.)
1	Display Citizen Board @ Rs. 2171	Rs. 2171
2	Provision for Contingency @ 1%	Rs. 6546.5671502231
Total Addition Component Amount (in Rs.): 8717.5671502231		

Total Net Amount (in Rs.): 663374.28217254