

ESTIMATION DPR							
<b>State</b>	Odisha	<b>District</b>	Ganjam	<b>Block</b>	Kukudakhandi	<b>Gram Panchayat</b>	Dakhinapur

<b>Work Code</b>	OD/354/3378/117862/412577/00064287 (COMPLETION OF INCOMPLETE AWC-I BUILDING AT DAKHINAPUR)						
<b>Project Category</b>	Building						

<b>Financial Year</b>	2025-26	<b>Execution Level</b>	PS
<b>Executing Agency</b>	Panchayat Samiti, Kukudakhandi	<b>Proposal Date</b>	07-07-2025
<b>Date of Commencement</b>	15-11-2025	<b>Date of Completion</b>	16-01-2026
<b>Scheme Name</b>	Asset Management Women and Child Development Department	<b>Scheme Component Name</b>	Self/Personal Deposit
<b>Project Sub-Category</b>	AWC	<b>Project Type</b>	New Work
<b>Name of Executant</b>	ASWIN SUBUDHI		

### Administrative Approval Details

<b>Approval No.</b>	OD/354/3378/117862/412577/00064287/AS
---------------------	---------------------------------------

### Technical Sanction Details

<b>Technical Sanction No.</b>	OD/354/3378/117862/412577/00064287/TS
<b>Fund Sanction No.</b>	8405
<b>Fund Sanction Amount (in Rs.)</b>	200000

### LABOUR STATEMENT

Sl.No.	Activity Name	Qty/unit(B=Analysis Basic Qty/HeaderUnit)	Quantity(Measurement Qty)	Unit
--------	---------------	---	---------------------------	------

1	<p><b>Earth Work (AR0102aa) : Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift -</b>  Earth work in hard soil or gravelly soil foundation &amp; plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge</p>	-	1.296	Cum
i	Un-Skilled	0.516	0.668736	-
2	<p><b>Earth Work (AR0115) : Filling foundation and plinth with sand well watered and rammed -</b>  Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T &amp; P required for the work etc. complete and as per direction of Engineer-in charge.</p>	-	1.764	Cum
i	Un-Skilled	0.1236	0.2180304	-

3	<p><b>Concrete (AR0303) :</b>  <b>Cement concrete (1:3:6) with 4 cm.</b>  <b>Crusher Broken hard granite metal -</b>  Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&amp;P required for the work etc. complete and as per direction of Engineer-in charge.</p>	-	0.459	Cum
i	Skilled	0.18	0.08262	-
ii	Un-Skilled	3.9	1.7901	-
4	<p><b>Earth Work (AR0114) :</b>  <b>Filling of foundation with escalated earth -</b>  Filling in foundation and plinth with excavated materials in ordinary soil including watering and ramming as directed by the Engineer-in-charge.</p>	-	0.496125	Cum
i	Un-Skilled	0.213332	0.1058393385	-

5	<p><b>Dismantling (AR1618) : Dismantling and removing doors, windows and ventilators -</b>  Dismantling and removing doors, windows and ventilators including removal of frame, hinges, fastening and stacking the same for reuse and removing the debris within 50m and as per direction of Engineer-in-Charge.</p>	-	1.104	Sqm
i	Un-Skilled	0.61538461538462	0.67938461538462	-
ii	Skilled	0.19230769230769	0.21230769230769	-
6	<p><b>Dismantling (AR1603) : Dismantling brick or stone masonry under 3m. -</b> Dismantling brick or stone masonry in lime or cement mortar under 3m. height including stacking the useful materials for reuse and removing the debris within 50m. Lead and as per direction of Engineer-in-Charge.</p>	-	0.44436	Cum
i	Un-Skilled	3.0035335689046	1.3346501766784	-

7	<p><b>Flooring (AR0817b) :</b>  <b>Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) -</b> Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) in wall cladding on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	6.075	Sqm
i	Un-Skilled	0.325	1.974375	-
ii	Highly-Skilled	0.325	1.974375	-

8	<p><b>Flooring (AR0817aa)</b>  <b>: Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) -</b>          Fixing Vitrified tiles of premium grade having thickness 8mm to 10mm confirming to IS 13756 of size 600mmx600mm plain (Ivory) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Vitrified tiles including rubbing and polishing complete including cost of precast tiles.</p>	-	5.562	Sqm
i	Highly-Skilled	0.325	1.80765	-
ii	Un-Skilled	0.325	1.80765	-
iii	Semi-Skilled	0.76	4.22712	-

9	<p><b>Flooring (AR0816) :</b>  <b>Fixing ceramic Tiles</b>  <b>(30cmx30cm /</b>  <b>40cmx40cm special</b>  <b>plain/printed series</b>  <b>ceramic floor tiles of</b>  <b>premium grade</b>  <b>having thickness</b>  <b>7mm to 8mm</b>  <b>confirming to IS</b>  <b>13755) in floor -</b> Fixing  ceramic Tiles  (30cmx30cm /  40cmx40cm special  plain/printed series  ceramic floor tiles of  premium grade having  thickness 7mm to 8mm  confirming to IS 13755)  in floor , treads or steps  and landing on a 25mm  thick bed of cement  mortar 1:1 (1cement:  1sand) jointed with neat  cement slurry mixed  with pigment to match  the shades of the  ceramic tiles including  rubbing and polishing,  cost of precast tiles  complete as per  direction of Engineer-in-  charge.</p>	-	1.44	Sqm
i	Un-Skilled	0.216	0.31104	-
ii	Highly-Skilled	0.216	0.31104	-
iii	Semi-Skilled	0.55	0.792	-

10	<b>R.C.C. Work (AR0404Ab) : Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips -</b> Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Plinth band)	-	0.214774	Cum
i	Un-Skilled	1.3333	0.2863581742	-
ii	Skilled	0.35	0.0751709	-
iii	Semi-Skilled	0.3073	0.0660000502	-

11	<b>R.C.C. Work (AR0404Ag) :</b> <b>Reinforced cement concrete work of M-20 grade with 20mm &amp; down grade size black hard crusher broken granite chips -</b> Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	0.493725	Cum
i	Un-Skilled	1.3333	0.6582835425	-
ii	Skilled	3.15525	1.55782580625	-
iii	Semi-Skilled	3.11255	1.53674374875	-

12	<p><b>Plastering (AR1004) : 12mm thick cement plaster (1:6) over Brick work in inside -</b> 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc. comp.and as per direction of Engineer-in-charge.</p>	-	9.3885	Sqm
i	Un-Skilled	0.12	1.12662	-
ii	Skilled	0.14	1.31439	-
13	<p><b>Plastering (AR1014) : 16mm thick cement Plaster in CM (1:6) over brick work in inside.</b> - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T &amp; P required for the work etc comp.and as per direction of Engineer-in-charge.</p>	-	15.504	Sqm
i	Un-Skilled	0.24	3.72096	-
ii	Skilled	0.16	2.48064	-

14	<p><b>Masonry Brick Work (AR0603c) : Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth</b>  - Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in foundation and plinth having crushing strength not less than 75.00 Kg/cm<sup>2</sup> with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&amp;P required for the work, etc. complete and as per direction of Engineer-in-charge.</p>	-	3.010066	Cum
i	Un-Skilled	2.96	8.90979536	-
ii	Skilled	1.05	3.1605693	-
iii	Highly-Skilled	0.35	1.0535231	-
15	<p><b>Painting (AR0920) : Finishing wall two coats with plastic emulsion paint of approved shades on new work (Inside) -</b>  Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)</p>	-	144.2534	Sqm
i	Highly-Skilled	0.054	7.7896836	-

	ii	Un-Skilled	0.064	9.2322176	-
16		<b>Painting (AR0903i) : Painting two coats of enamel paint in outer surface paint (outer surface) -</b> Painting two coats of enamel paint in outer surface paint including all costs of labour, Paint and brushes required for the work etc. complete and as per direction of Engineer-in-charge.(Outside)	-	24.288	Sqm
	i	Highly-Skilled	0.13440860215054	3.2645161290323	-
	ii	Un-Skilled	0.11827956989247	2.8727741935484	-
17		<b>Other Building Items. (AR1909) : Al. door with OEL anodized Al. door section of 9202 as vertical member -</b> Providing fitting, fixing of Al. door with OEL anodized Al. door section of 9202 as vertical member, 9201 as top member and 9200 as bottom and middle member and 12mm thick pre-laminated board fixed on door frame by means of tapered clip No. 4660 and the frame to be completed by means of jointing angle No.1855 including all cost of labour,T&P , hire charges of drilling machine, labour charges etc. complete. and as per direction of Engineer in Charge	-	1.188	Sqm
	i	Un-Skilled	1.38888888888889	1.65	-

	ii	Semi-Skilled	1.0648148148148	1.265	-
	iii	Skilled	0.77777777777778	0.924	-
	iv	Highly-Skilled	0.194444444444444	0.231	-
	v		0.46296296296296	0.55	-
18		<b>Concrete (AR0307) :</b> <b>Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum -</b> Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specifaion and direction of Engineer-in charge.	-	1.3078	Cum
	i	Un-Skilled	4.6	6.01588	-
	ii	Skilled	0.68	0.889304	-

19	<b>Other Building Items. (AR1901B) : Vitrified Tile 600mmx600mm Plain Ivory</b> - Supplying, fitting & fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only)	-	52.7818	Sqm
i	Un-Skilled	0.216	11.4008688	-
ii	Highly-Skilled	0.216	11.4008688	-

20	<p><b>miscellaneous (ARM287) : Supplying and fixing of 80mm thick cement concrete interlocking paver block of M-40 grade of approved make, design, colour and size made by Block making machine with proper compaction laid in required pattern etc. complete in all respect conforming to IRC -</b></p> <p>Supplying and fixing of 80mm thick cement concrete interlocking paver block of M-40 grade of approved make, design, colour and size made by Block making machine with proper compaction laid in required pattern etc. complete in all respect conforming to IRC SP-63:2018. (New miscellaneous items) and as directed by Engineer-in-Charge.</p>	-	22.8	Sqm
21	<p><b>miscellaneous (ARM295) : Supplying, fitting and fixing of 5.5mm thick hexagonal Aluminum jally in windows as single groove, double groove and tapered clip as horizontal and vertical members for fixing of aluminum jally and jointing angle conforming to standard Aluminium sections -</b></p> <p>Supplying, fitting and fixing of 5.5mm thick hexagonal Aluminum jally in windows as single groove, double groove and tapered clip as horizontal and vertical members for fixing of aluminum jally and jointing angle conforming to standard Aluminium sections etc. complete. (New miscellaneous items) and as directed by Engineer-in-Charge.</p>	-	2.2448	Sqm

22	<b>Painting (AR0918c) : Finishing wall with two coat water proofing cement paint including one coat cement wash on the outer surface of approved shade on new work (Outside) -</b> Finishing wall with two coat water proofing cement paint including one coat cement wash on the outer surface of approved shade on new work to give an even shade including all costs of labour, Paint, Brushes, and putty required for the work, etc. complete and as per direction of Engineer-in-charge. (Outside)	-	104.72	Sqm
i	Un-Skilled	0.042752688172043	4.4770615053763	-
ii	Highly-Skilled	0.022	2.30384	-
iii	Skilled	0.0080645161290323	0.84451612903226	-

SI.No.	Labour Type	Qty Unit	Rate	Amount
0	Un-Skilled	59.240624706188	462	27369.168614259
1	Skilled	11.54134382759	562	6486.2352311056
2	Highly-Skilled	30.136496629032	612	18443.535936968
3	Semi-Skilled	7.88686379895	512	4038.0742650624
4		0.55	50	27.5
<b>Total: 56364.514047394</b>				