

ESTIMATION DPR							
State	Odisha	District	Koraput	Block	Koraput	Gram Panchayat	Litiguda

Work Code	OD/363/3471/119805/429983/00035512 (Provision of GP facilities centre at Litiguda)
Project Category	Building

Financial Year	2025-26	Execution Level	PS
Executing Agency	Panchayat Samiti, Koraput	Proposal Date	-
Date of Commencement	-	Date of Completion	-
Scheme Name	5th SFC Grant in Aid	Scheme Component Name	Provision of Facilities at GP Head Quarter
Project Sub-Category	GP Facility Centre	Project Type	New Work
Name of Executant			

Administrative Approval Details

Approval No.	
---------------------	--

Technical Sanction Details

Technical Sanction No.	OD/363/3471/119805/429983/00035512/TS
Fund Sanction No.	33921
Fund Sanction Amount (in Rs.)	1000000

MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	-	51.72075	Cum

2	Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	22.63725	Cum
i)	BRM029 : Sand for filling and road blinding	1	22.63725	1 Cum
3	Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	7.95375	Cum
i)	BRM340 : Cement	2.29	18.2140875	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	3.8178	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	7.6356	1 Cum.

4	Plastering (AR1004) ::12mm thick cement plaster (1:6) over Brick work in inside - 12mm thick cement plaster (1:6) over Brick work in inside including racking out joints finishing smooth with proper plumb and line curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc. comp.and as per direction of Engineer-in-charge.	-	76.695	Sqm
i)	BRM340 : Cement	0.0358	2.745681	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.015	1.150425	1 Cum
5	Plastering (AR1014) ::16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	129.045	Sqm
i)	BRM340 : Cement	0.043	5.548935	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.018	2.32281	1 Cum

6	<p>R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.</p>	-	18.90401	Qntl
i)	BRM162 : Binding Wire.	0.8	15.123208	1 Kg.
ii)	BRM341 : Steel	1.05	19.8492105	1 Qntl.
7	<p>Flooring (AR0817b) :.Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) - Fixing ceramic tiles (20cmx30cm / 20cmx20cm special plain/printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753) in wall cladding on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the ceramic tiles including rubbing and polishing, cost of precast tiles complete as per direction of Engineer-in-charge.</p>	-	36.5325	Sqm

i)	BRM129 : Tiles up to 20cmx30cm / 20cm x 20cm special plain /printed series ceramic wall tiles of premium grade having thickness 6.5mm to 6.7mm confirming to IS 13753	1	36.5325	1 Sqm.
ii)	BRM340 : Cement	0.1375	5.02321875	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.015	0.5479875	1 Cum
8	Concrete (AR0317) :.2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips - 2.5 cm thick grading concrete (1:2:2) on roof slab with 6mm size hard granite chips including hoisting and laying in position compacting and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge. (new work)	-	59.7025	Sqm
i)	BRM340 : Cement	0.1208	7.212062	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.0169	1.00897225	1 Cum
iii)	BRM064 : Granite stone broken chips of 4.7 mm size passing through 6.7 mm sieve (crusher broken.) and retained on 2.36 mm sieve.	0.0169	1.00897225	1 Cum.

9	Plastering (AR1008) :.20mm thick cement Plaster in CM (1:6) over brick work in inside. - 20mm thick cement Plaster in CM (1:6) for stone work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	33.58125	Sqm
i)	BRM340 : Cement	0.057	1.91413125	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.021	0.70520625	1 Cum
10	Concrete (AR0307) :.Cement concrete (1:2:4)with 12mm size hard broken granite chips per 1cum - Cement concrete work with (1:2:4) using 12mm size hard granite(crusher broken) chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete as per specificaion and direction of Engineer-in charge.	-	3.2844	Cum
i)	BRM340 : Cement	3.23	10.608612	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	1.47798	1 Cum
iii)	BRM056 : Granite Stone broken chips 12mm. size (Minimum 65% by Wt. Passing through 13.2mm sieve & retained on 9.50mm sieve but whole should pass through 19mm sieve) (Crusher broken)	0.9	2.95596	1 Cum.

11	<p>R.C.C. Work (AR0404Aa) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC foundation, footing bases of column, mass concrete, pre-cast slabs etc.)</p>	-	4.968765	Cum
i)	BRM340 : Cement	3.4733	17.2580114745	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	2.23594425	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.7887554	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.6831331	1 Cum.
v)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.004005	0.019899903825	1Cum.
vi)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.189	0.939096585	1Mtr.

12	R.C.C. Work (AR0404Ab) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Plinth band)	-	2.0102	Cum
i)	BRM340 : Cement	3.4733	6.98202766	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.90459	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.723672	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	1.085508	1 Cum.
v)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.01335	0.02683617	1Cum.
vi)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.63	1.266426	1Mtr.

13	R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	3.816735	Cum
i)	BRM340 : Cement	3.4733	13.2566656755	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	1.71753075	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.3740246	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.0610369	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	4.4196	16.868442006	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.158505187815	1Cum.

14	R.C.C. Work (AR0404Ad) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)	-	1.209225	Cum
i)	BRM340 : Cement	3.4733	4.2000011925	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.54415125	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.435321	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.6529815	1 Cum.
v)	BRM094 : Non-sal bullahs 125mm. mean dia of any length.	3.7695	4.5581736375	1Mtr.
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0741335	0.0896440815375	1Cum.

15	<p>R.C.C. Work (AR0404Ag) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)</p>	-	7.825	Cum
i)	BRM340 : Cement	3.4733	27.1785725	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	3.52125	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	2.817	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	4.2255	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	6.2216	48.68402	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0502172	0.39294959	1Cum.

16	<p>Masonry Brick Work (AR0603bi) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.</p>	-	25.060425	Cum
i)	BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	25.060425	1 Cum
ii)	BRM340 : Cement	0.672	16.8406056	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.28	7.016919	1 Cum
iv)	BRM005 : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm ² with dimensional tolerance ± 2 %	350	8771.14875	1000 Nos

17	<p>Other Building Items. (AR1901B) :.Vitrified Tile 600mmx600mm Plain Ivory - Supplying, fitting & fixing Vitrified Tile 600mmx600mm Plain Ivory in floors of size 600mm x 600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar(1:4)and filling joints with white cement of approved quality including cost of all materials, taxes, labour, T&P , etc. required for the work all complete as per direction of Engineer-in-charge(for new work only)</p>	-	49.7675	Sqm
i)	BRM174 : White Cement.	0.0076	0.378233	1Qntl
ii)	BRM340 : Cement	0.1074	5.3450295	1 Qntl.
iii)	BRM028 : Screened and washed sharp sand for mortar	0.021	1.0451175	1 Cum
iv)	BRM131 : Tiles up to Polished Vitrified floor tiles of premium grade having thickness 8 mm to 10mm confirming to IS 15622:2006 (Group-B la) of sizes Vitrified Tile 600mmx600mm Plain (Ivory)	1	49.7675	1 Sqm.
18	<p>Masonry Stone Work (AR0703) :.Random rubble H.G. stone of masonry. - Random rubble H.G. stone of size not less than 0.0025 cum stacked masonry in cement mortar (1:6) in foundation and plinth including watering, curing for seven days with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.</p>	-	23.94081	Cum
i)	BRM340 : Cement	0.8151	19.514154231	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.34	8.1398754	1 Cum

iii)	BRM034 : Granite broken stone of size not less than 0.0025 Cum. Stacked	1	23.94081	1 Cum.
19	Other Building Items. (AR1907) :aluminum sliding window (sliding type) - Supplying, fitting, fixing up window (sliding type) made up aluminum Section 9778,as windows frame, section No. 4095,4096 and 9777, 3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting including cost of materials all taxes labour, T&P etc. complete as per direction of Engineer-incharge.	-	3.6	Sqm
i)	BRMMR0005 : Handel with lock	1.3422818791946	4.8322147651007	Each
ii)	BRM271 : Black glass (I.S.I.) 5mm	1.1006711409396	3.9624161073826	Sqm
iii)	BRMMR0008 : Hire charges of drills machine	0.67114093959732	2.4161073825503	Day
iv)	BRMMR0013 : Al. wheel runner	5.3691275167785	19.328859060403	Each
v)	BRMMR0012 : Window pile	5.0335570469799	18.120805369128	Mtr
vi)	BRMMR0011 : U rubber beading	6.5436241610738	23.557046979866	Mtr
vii)	BRMMR0010 : Al. Screws of different sizes	0.67114093959732	2.4161073825503	L.S.
viii)	BRMMR0009 : PVC Plug	5.3691275167785	19.328859060403	Each
ix)	BRM304 : Aluminium extruded section	5.1330201342282	18.478872483221	kg

20	Painting(AR0901d) :.Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces (Inner surface) - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.	-	110.865	Sqm
i)	BRM253 : Wall cement primer (I.S.I.) Water bound	0.084	9.31266	1 Ltr
21	Painting(AR0918c) :.Finishing wall with two coat water proofing cement paint including one coat cement wash on the outer surface of approved shade on new work (Outside) - Finishing wall with two coat water proofing cement paint including one coat cement wash on the outer surface of approved shade on new work to give an even shade including all costs of labour, Paint, Brushes, and putty required for the work, etc. complete and as per direction of Engineer-in-charge. (Outside)	-	88.53	Sqm
i)	BRM143 : Cement paint	0.25	22.1325	1 Kg.
ii)	BRM340 : Cement	0.010763440860215	0.95288741935484	1 Qntl.

22	Painting(AR0920) :.Finishing wall two coats with plastic emulsion paint of approved shades on new work (Inside) - Finishing wall two coats with plastic emulsion paint of approved shades on new work to give an even shade including all costs of labor, Paint and Brushes required for the work, etc. complete and as per direction of the Engineer-in-charge.(Inside)	-	94.545	Sqm
i)	BRM140 : Plastic Emulsion paint	0.125	11.818125	1 Litre
23	Other Building Items. (AR1909) :.Al. door with OEL anodized Al. door section of 9202 as vertical member - Providing fitting, fixing of Al. door with OEL anodized Al. door section of 9202 as vertical member, 9201 as top member and 9200 as bottom and middle member and 12mm thick pre-laminated board fixed on door frame by means of tapered clip No. 4660 and the frame to be completed by means of jointing angle No.1855 including all cost of labour,T&P , hire charges of drilling machine, labour charges etc. complete. and as per direction of Engineer in Charge	-	7.5	Sqm
i)	BRM281 : Prelaminated particle board (standard type) (I.S.I.) 12mm	1.1018518518519	8.2638888888889	Sqm
ii)	BRMMR0008 : Hire charges of drills machine	0.694444444444444	5.20833333333333	Day
iii)	BRMMR0018 : 6-Level mortice lock	0.46296296296296	3.47222222222222	Each
iv)	BRMMR0017 : Handle	0.92592592592593	6.94444444444444	Each
v)	BRMMR0016 : Door Stopper	0.46296296296296	3.47222222222222	Each
vi)	BRMMR0011 : U rubber beading	8.4675925925926	63.5069444444444	Mtr

vii)	BRMMR0015 : 4 Anodised Al. Hinges	1.8518518518519	13.8888888888889	Each
viii)	BRM304 : Aluminium extruded section	11.821805555556	88.663541666667	kg

SI.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM029	22.63725	1 Cum	979.85	22181.1094125
2	BRM340	162.79468275285	1 Qntl.	583.047	94916.951395004
3	BRM028	36.15655915	1 Cum	983.77	35569.738194996
4	BRM044	7.6356	1 Cum.	1661.86	12689.298216
5	BRM162	15.123208	1 Kg.	90.1	1362.6010408
6	BRM341	19.8492105	1 Qntl.	6440.287	127834.61234341
7	BRM129	36.5325	1 Sqm.	418.0738891	15273.284353546
8	BRM064	1.00897225	1 Cum.	1516.81	1530.4191985225
9	BRM056	2.95596	1 Cum.	2063.23	6098.8253508
10	BRM060	7.138773	1 Cum.	2085.28	14886.34056144
11	BRM052	10.7081595	1 Cum.	2048.9	21939.94799955
12	BRM104	0.6878349331775	1Cum.	58668.206	40354.041553654
13	BRM092	2.205522585	1Mtr.	324.226	715.08776564421
14	BRM084	65.552462006	1Mtr	345.286	22634.347396204
15	BRM094	4.5581736375	1Mtr.	335.226	1528.0183158046
16	BRMMR0025	25.060425	1 Cum	33	826.994025
17	BRM005	8771.14875	1000 Nos	6.30115	55268.323946062
18	BRM174	0.378233	1Qntl	2053.857	776.836494681
19	BRM131	49.7675	1 Sqm.	663.9538891	33043.325175784
20	BRM034	23.94081	1 Cum.	958.57	22948.9422417
21	BRMMR0005	4.8322147651007	Each	40	193.28859060403
22	BRM271	3.9624161073826	Sqm	705.01	2793.5429798658
23	BRMMR0008	7.6244407158837	Day	100	762.44407158837
24	BRMMR0013	19.328859060403	Each	25	483.22147651007
25	BRMMR0012	18.120805369128	Mtr	10	181.20805369128
26	BRMMR0011	87.06399142431	Mtr	15	1305.9598713647
27	BRMMR0010	2.4161073825503	L.S.	30	72.48322147651
28	BRMMR0009	19.328859060403	Each	1.5	28.993288590604
29	BRM304	107.14241414989	kg	297.97	31925.225144242
30	BRM253	9.31266	1 Ltr	159.39677	1484.4079241082
31	BRM143	22.1325	1 Kg.	48.19677	1066.715012025
32	BRM140	11.818125	1 Litre	249.70677	2951.0658212063

33	BRM281	8.2638888888889	Sqm	710.82	5874.1375
34	BRMMR0018	3.4722222222222	Each	600	2083.3333333333
35	BRMMR0017	6.9444444444444	Each	62.5	434.02777777778
36	BRMMR0016	3.4722222222222	Each	25	86.805555555556
37	BRMMR0015	13.888888888889	Each	39	541.66666666667
					Total: 584647.57126971