

ESTIMATION DPR							
State	Odisha	District	Angul	Block	Banarpal	Gram Panchayat	Kurudol

Work Code	OD/344/3278/115622/404107/00048374 (COMPLETION OF KALYAN MANDAP)
Project Category	Building

Financial Year	2025-26	Execution Level	PS
Executing Agency	Panchayat Samiti, Banarpal	Proposal Date	-
Date of Commencement	09-01-2026	Date of Completion	-
Scheme Name	5th SFC Grant in Aid	Scheme Component Name	Maintenance of Capital Assets
Project Sub-Category	Kalyan Mandap	Project Type	Completion
Name of Executant	Mahesh Kumar samal		

Administrative Approval Details

Approval No.	OD/344/3278/115622/404107/00048374/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/344/3278/115622/404107/00048374/TS
Fund Sanction No.	33742
Fund Sanction Amount (in Rs.)	1000000

MATERIAL STATEMENT

SI.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	24.318	Cum
i)	BRM340 : Cement	2.29	55.68822	1 Qntl.

ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	11.67264	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	23.34528	1 Cum.
2	Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	121.59	Cum
i)	BRM029 : Sand for filling and road blinding	1	121.59	1 Cum
3	R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	10.2795	Cum
i)	BRM340 : Cement	3.4733	35.70378735	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	4.625775	1 Cum

iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	3.70062	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	5.55093	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	4.4196	45.4312782	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.4268973555	1Cum.
4	R.C.C. Work (AR0404Ab) :Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Plinth band)	-	10.5744	Cum
i)	BRM340 : Cement	3.4733	36.72806352	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	4.75848	1 Cum

iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	3.806784	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	5.710176	1 Cum.
v)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.01335	0.14116824	1Cum.
vi)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.63	6.661872	1Mtr.
5	Masonry Brick Work (AR0603ci) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with Flyash Bricks of size (23cm x 11cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm ² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.	-	47.978625	Cum
i)	BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK	1	47.978625	1 Cum
ii)	BRM006 : Fly ash bricks of 23 Cm. x 11 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm ² with dimensional tolerance ± 2 %	400	19191.45	1000 Nos

iii)	BRM340 : Cement	0.672	32.241636	1 Qntl.
iv)	BRM028 : Screened and washed sharp sand for mortar	0.28	13.434015	1 Cum
6	R.C.C. Work (AR0404Ad) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Lintels)	-	3.78075	Cum
i)	BRM340 : Cement	3.4733	13.131678975	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	1.7013375	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.36107	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.041605	1 Cum.
v)	BRM094 : Non-sal bullahs 125mm. mean dia of any length.	3.7695	14.251537125	1Mtr.

vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0741335	0.280280230125	1Cum.
7	R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	31.8	Qntl
i)	BRM162 : Binding Wire.	0.8	25.44	1 Kg.
ii)	BRM341 : Steel	1.05	33.39	1 Qntl.

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM340	173.493385845	1 Qntl.	545.427	94627.976961281
2	BRM028	36.1922475	1 Cum	743.49	26908.574093775
3	BRM044	23.34528	1 Cum.	1661.86	38796.5870208
4	BRM029	121.59	1 Cum	347.95	42307.2405
5	BRM060	8.868474	1 Cum.	2071.83	18373.97048742
6	BRM052	13.302711	1 Cum.	2048.9	27255.9245679
7	BRM084	45.4312782	1Mtr	250.166	11365.361142181
8	BRM104	0.848345825625	1Cum.	58573.086	49690.233002074
9	BRM092	6.661872	1Mtr.	229.106	1526.274846432
10	BRMMR0025	47.978625	1 Cum	33	1583.294625
11	BRM006	19191.45	1000 Nos	5.24616	100681.417332
12	BRM094	14.251537125	1Mtr.	240.106	3421.8795729352
13	BRM162	25.44	1 Kg.	90.1	2292.144
14	BRM341	33.39	1 Qntl.	6380.717	213052.14063

Total: 631883.0187818