

ESTIMATION DPR							
State	Odisha	District	Dhenkanal	Block	Dhenkanal Sadar	Gram Panchayat	Baliamba

Work Code	OD/352/3350/117256/403353/00064190 (Construction of New Entrance Gate at Baliamba Kandabindha Chhak)
Project Category	Other Infrastructure

Financial Year	2025-26	Execution Level	PS
Executing Agency	Panchayat Samiti, Dhenkanal Sadar	Proposal Date	01-09-2025
Date of Commencement	08-12-2025	Date of Completion	-
Scheme Name	SFC Devolution of Fund	Scheme Component Name	5TH SFC DEVOLUTION GRANT TO ZILLA PARISHAD
Project Sub-Category	Boundary Wall	Project Type	New Work
Name of Executant	CHINMAYEE DASH		

Administrative Approval Details

Approval No.	OD/352/3350/117256/403353/00064190/AS
---------------------	---------------------------------------

Technical Sanction Details

Technical Sanction No.	OD/352/3350/117256/403353/00064190/TS
Fund Sanction No.	4423
Fund Sanction Amount (in Rs.)	364291

MATERIAL STATEMENT

Sl.No.	Activity Name/Material	Qty/unit (B=Analysis Basic Qty/Header Unit)	Quantity (Meaurement Qty)	Unit
1	Earth Work (AR0102aa) :.Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift - Earth work in hard soil or gravelly soil foundation & plinth within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layers not exceeding 0.3m in depth and as per the direction of the Engineer-in-charge	-	22.9649248	Cum

2	Earth Work (AR0115) :.Filling foundation and plinth with sand well watered and rammed - Filling foundation and plinth with sand well watered and rammed including cost, conveyance, royalty, taxes of all materials, labours and T & P required for the work etc. complete and as per direction of Engineer-in charge.	-	1.7414832	Cum
i)	BRM029 : Sand for filling and road blinding	1	1.7414832	1 Cum
3	Concrete (AR0303) :.Cement concrete (1:3:6) with 4 cm. Crusher Broken hard granite metal - Cement concrete (1:3:6) with 4 cm. hard granite(Crusher Broken) metal including laying in layers not exceeding 300 mm in depth, ramming, compacting to proper thickness, watering and curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T&P required for the work etc. complete and as per direction of Engineer-in charge.	-	1.8547504	Cum
i)	BRM340 : Cement	2.29	4.247378416	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.48	0.890280192	1 Cum
iii)	BRM044 : Granite Stone broken metal 40mm. size (Crusher broken)	0.96	1.780560384	1 Cum.

4	<p>R.C.C. Work (AR0404Aa) ∴Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC foundation, footing bases of column, mass concrete, pre-cast slabs etc.)</p>	-	3.9501936	Cum
i)	BRM340 : Cement	3.4733	13.72020743088	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	1.77758712	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	1.422069696	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	2.133104544	1 Cum.
v)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.004005	0.015820525368	1Cum.
vi)	BRM092 : Non-sal bullahs 75mm. mean dia of any length.	0.189	0.7465865904	1Mtr.

5	R.C.C. Work (AR0404Ac) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge. (RCC Beams, Column, Girder & Bressmer etc)	-	6.1164288	Cum
i)	BRM340 : Cement	3.4733	21.24419215104	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	2.75239296	1 Cum
iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	2.201914368	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	3.302871552	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	4.4196	27.03216872448	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.041529	0.2540091716352	1Cum.

6	R.C.C. Work (AR0409) :.Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position - Supplying, fitting, and placing uncoated HYSD bar reinforcement including labor charges for cutting, bending, binding, and tying the grills and placing in position including cost of binding wire 18 to 20 gauge with cost of steel rod and as per drawing, design, and direction of Engineer-in-charge.	-	12	Qntl
i)	BRM162 : Binding Wire.	0.8	9.6	1 Kg.
ii)	BRM341 : Steel	1.05	12.6	1 Qntl.
7	R.C.C. Work (AR0404Ag) :.Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips - Reinforced cement concrete work of M-20 grade with 20mm & down grade size black hard crusher broken granite chips including hoisting and laying in position compacting to specified design section and curing for proper period with cost conveyance, royalty,taxes of all materials, labour and T&P required for the work etc. (including centring and shuttering) complete and as per direction of Engineer-in charge (RCC Roof slab, landing, balcony, sun shade)	-	1.569883392	Cum
i)	BRM340 : Cement	3.4733	5.4526759854336	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.45	0.7064475264	1 Cum

iii)	BRM060 : Granite Stone broken chips 10mm. size (Minimum 65% by Wt. Passing through 9.5mm sieve & retained on 6.3mm sieve but whole should pass through 13.2mm sieve) (Crusher broken)	0.36	0.56515802112	1 Cum.
iv)	BRM052 : Granite Stone broken chips 20mm. size (Minimum 65% by Wt. Passing through 19mm sieve & retained on 13.2mm sieve but whole should pass through 26.5mm sieve) (Crusher broken)	0.54	0.84773703168	1 Cum.
v)	BRM084 : Sal bullahs 75mm. to 120mm. mean dia up to 5.5m. long.	6.2216	9.7671865116672	1Mtr
vi)	BRM104 : Non Sal wood scantling & plants(Tentera, Kasi, Gamhari, Kuruma)	0.0502172	0.078835148272742	1Cum.
8	Plastering (AR1014) :.16mm thick cement Plaster in CM (1:6) over brick work in inside. - 16mm thick cement Plaster in CM (1:6) over brick work in inside including racking out joints finishing smooth with proper plumb and line, curing for proper period with cost conveyance, royalty, taxes of all materials, labour and T & P required for the work etc comp.and as per direction of Engineer-in-charge.	-	55.7418	Sqm
i)	BRM340 : Cement	0.043	2.3968974	1 Qntl.
ii)	BRM028 : Screened and washed sharp sand for mortar	0.018	1.0033524	1 Cum

9	<p>Masonry Brick Work (AR0603bi) :.Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure - Brickwork with Flyash Bricks of size (25cm x 12cm x 8cm) in cement mortar (1:6) in superstructure having crushing strength not less than 75.00 Kg/cm² with dimensional tolerance ±8 percent immersing the bricks in water not less than six hours with cost conveyance, royalty, taxes of all materials, labor, and T&P required for the work, etc. complete and as per direction of Engineer-in-charge.</p>	-	1.974247296	Cum
i)	<p>BRMMR0025 : SCAFFOLDING CHARGES FOR BRICK MASONRY WORK</p>	1	1.974247296	1 Cum
ii)	<p>BRM340 : Cement</p>	0.672	1.326694182912	1 Qntl.
iii)	<p>BRM028 : Screened and washed sharp sand for mortar</p>	0.28	0.55278924288	1 Cum
iv)	<p>BRM005 : Fly ash bricks of 25 Cm. x 12 Cm. x 8 Cm. size having crushing strength not less than 75 Kg./Cm² with dimensional tolerance ± 2 %</p>	350	690.9865536	1000 Nos

10	<p>Flooring (AR0817a) :.Fixing ceramic Tiles (30cmx30cm / 40cmx40cm special plain/printed series ceramic floor tiles of premium grade having thickness 7mm to 8mm confirming to IS 13755) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) - Fixing Granite Tiles Above 0.10 Sqm Above 0.10 Sqm & up to 0.4 sqm (10mm. thick) in dados skirting and risers of steps on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match the shade of the Granite tiles including rubbing and polishing complete including cost of precast tiles.</p>	-	34.559916	Sqm
i)	BRM124 : Granite Tiles Above 0.10 Sqm & up to 0.4 sqm (10mm. thick)	1	34.559916	1 Sqm.
ii)	BRMMR0027 : Wax Polish	1	34.559916	1 Sqm
iii)	CON026 : cement (Other way)	0.1375	4.75198845	1000 kg
iv)	BRM340 : Cement	0.1375	4.75198845	1 Qntl.
v)	BRM028 : Screened and washed sharp sand for mortar	0.015	0.51839874	1 Cum
11	<p>Painting(AR0901d) :.Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces (Inner surface) - Priming one coat with inner surface primer of approved quality water-bound primer over plastering surfaces including cost conveyance, taxes of all materials, labor and T&P required for the work complete as per direction of the Engineer-in-charge.</p>	-	42.363768	Sqm

i)	BRM253 : Wall cement primer (I.S.I.) Water bound	0.084	3.558556512	1 Ltr
----	---	-------	-------------	-------

Sl.No.	Material Name	Qty	Unit	Rate	Amount
1	BRM029	1.7414832	1 Cum	803.65	1399.54297368
2	BRM340	53.140034016266	1 Qntl.	563.667	29953.283553846
3	BRM028	8.20124818128	1 Cum	808.59	6631.4472669012
4	BRM044	1.780560384	1 Cum.	1661.86	2959.0420797542
5	BRM060	4.18914208512	1 Cum.	2068.61	8665.7012087001
6	BRM052	6.28371312768	1 Cum.	2048.9	12874.699827304
7	BRM104	0.34866484527594	1Cum.	58715.766	20472.123467648
8	BRM092	0.7465865904	1Mtr.	371.786	277.57044209845
9	BRM084	36.799355236147	1Mtr	392.846	14456.479507099
10	BRM162	9.6	1 Kg.	90.1	864.96
11	BRM341	12.6	1 Qntl.	5999.337	75591.6462
12	BRMMR0025	1.974247296	1 Cum	33	65.150160768
13	BRM005	690.9865536	1000 Nos	6.2828	4341.3303189581
14	BRM124	34.559916	1 Sqm.	1342.5802781	46399.461634393
15	BRMMR0027	34.559916	1 Sqm	8.5	293.759286
16	CON026	4.75198845	1000 kg	0	0
17	BRM253	3.558556512	1 Ltr	159.45622	567.4339700599

Total: 225813.63189721